



SQ06ADG0

GAS BAKERY OVEN 6 TRAYS 600x400 - GN 1/1
2,4" DIGITAL LCD CONTROL



FUNCTIONAL CHARACTERISTICS

Display	2,4" LCD IPS
Supply	Natural gas / GPL
Timer	-
Number of motors	2
Motor speeds	2
Max cooking temperature (°C)	260 °C
Core probe	Single point PT1000 (optional)
Cooking chamber material	AISI304
Opening door	Right handle
Chimney	50 mm open
Humidification	Direct Injection
Air Injection	-
Version	Standard

STANDARDS

Certification	CE-GAR-CB
---------------	-----------

TRAYS

Trays rack	Wire PA-BIV 6/80 mm Sheet PA 6/85 (optional)
Max tray load	4 kg

DIMENSIONS

Oven size with handle WxDxH (mm)	939x933x986
Oven size without handle WxDxH (mm)	939x868x986
Chamber size WxDxH (mm)	660x486x489
Unit weight (Kg)	129

PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	1020x970x1082
Unit weight with packaging (Kg)	150
Crate packaging size (optional)	-

ELECTRICAL DATA

50Hz	
Power	0,4 kW
Frequency	50Hz
Power supply	220-240V 1N~
Amperage	1,82A
Power cord req.	3G1,5
60Hz	
Power	0,54 kW
Frequency	60Hz
Power supply	220-240V 1N~
Amperage	2,45A
Power cord req.	3G1,5

BURNER DATA

G30-G31 Power (kW)	15
G20 Power (kW)	15

WATER CONNECTION REQUIREMENTS

Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	8mm quick fitting
Water drain	30 mm
Max water hardness	5°f
Water pressure requirement min-max	150-200 kPa

CONSUMPTION

Humidification Water (L/h)	23,6l/h max consumption
Rinse Water @2barG	-
Short Washing Water @2barG	-
Long Washing Water @2barG	-
Short Washing Detergent *	-
Long Washing Detergent *	-

CONNECTIVITY

USB	USB 2.0
Bluetooth	-
Wi-Fi	Standard
Cloud	Standard

ACCESSORIES

Nozzle kit	85BRU00018 (GAS02)
Self clean system kit	-
Oven stand	TA9374H30X TA9374H40X-TA9374H40S TA9374H49X-TA9374H49S TA9374H70X-TA9374H70S TA9374H80X-TA9374H80S
Hood (Air)	-
Hood (Water)	-
External Core probe	CP5 (020SON0007)
Sous vide probe	CP4 (020SON0010)
Proofer	CA9308M0 CA9308MH CA9308DH
Stacking kit for 2 ovens	-
Smoker	SMK02
Blast chiller	KDA03 KDA05
Blast chiller stacking kit	SK43
Water softner cover	WS10
Water softner 6800L	WS11
Water softner 12000L	WS12
Water pressure adapter	WPA
Water shower kit	S1
Detergent 6KG	DT2
Detergent 10KG	DT4